










**TECHNICAL ADVICES**

S.NO	FARMERS NAME and ADDRESS	CROP Name	PROBLEMS OBSERVED	SYMPTOM	RECOMMENDATIONS GIVEN
<b>Palar Sub Basin</b>					
1	S.R.Rajagopal S/oRamapthranaidu Sulthanpet Paladam	Coconut	Tanjore Wilt		Root feeding with Calyxin 2ml+100ml of water. <i>Trichoderma viride</i> 50g + <i>Pseudomonas fluorescense</i> 50g + Cowdung 5kg/tree
			Leaf Blight		Application of extra 1.5kg of Potash. <i>Pseudomonas fluorescense</i> 200g+Cowdung 5kg/ tree Removed burning of affected leaves.
			No button formation		Application of micronutrient mixture Borax-50g Gypsum-1.0 kg Magnesium Sulphate-500g

S.NO	FARMERS NAME AND ADDRESS	CROP NAME	PROBLEMS OBSERVED	SYMPTOM	RECOMMENDATIONS GIVEN
2	K.Marimuthu S/oKalliappagounder Nathakadu Thottam Sultanpet	Coconut	Tanjore Wilt		<i>Pseudomonas fluorescence</i> 50g + <i>Trichoderma viride</i> 50g + Cowdung 5kg /tree. Mix well & apply around the tree. Root feeding with Calyxin 5ml +100ml water Intercrop with Sunhemp.
3	M.Valliammal W/o K.Marimuthu Nathakadu Thottam Sulthanpet	Coconut	Termite Attack		Lime paste applied around the trunk of the coconut tree.
4	S.Kalliappagounder Nathakadu Thottam Sulthanpet	Coconut	Tanjore Wilt		Calyxin Root Feeding (Calyxin 2ml+Water 100ml) Calyxin paste applied around the stem Bleeding place. Growing Sunhemp as intercrop around the tree.

S.NO	FARMERS NAME AND ADDRESS	CROP NAME	PROBLEMS OBSERVED	SYMPTOM	RECOMMENDATIONS GIVEN
5	S.Kalliappagounder Nathakadu Thottam Sulthanpet	Maize	Maize borer		Application of Phorate (4 grams / plant) granules along with sand
6	Ranganyakiammal Kallimedu Thottam Sulthanpet	Coconut	Stem Bleeding		Root Feeding –Calyxin 5ml +100ml Water
7	Palaniammal 1/99 Pulliyamarathu veedu Senjari(Po) Sulthanpet	Coconut	Stem Bleeding		Root Feeding –Calyxin 5ml +100ml Water